

STANDARD BIDDING DOCUMENT (SBD)



**GOVERNMENT OF SINDH
SHAHEED MOHTARMA BENAZIR BHUTTO
INSTITUTE OF TRAUMA (SMBBIT)**

TENDER REFERENCE# PROC/SMBBIT/(OTHERS)2020-21

**“PROCUREMENT OF GENERAL ITEMS &
BIOMEDICAL TOOLS”**

AT

SMBB INSTITUTE OF TRAUMA, KARACHI

TABLE OF CONTENT

| S.# | DESCRIPTION | PAGE |
|------------|---|----------------|
| 1. | TITLE | 01 |
| 2. | TABLE OF CONTENT | 02 |
| 3. | BIDDING DATA | 03 |
| 4. | INSTRUCTIONS TO BIDDERS | 04 – 06 |
| 5. | TERMS & CONDITIONS OF TENDER | 07–08 |
| 6. | BID EVALUATION CRITERIA (ANNEXURE-A) | 09 |
| 7. | SCHEDULE OF REQUIREMENT & PRICE (ANNEXURE-B) | 10 – 23 |
| 8. | BID LETTER FORM | 24 |
| 9. | FORM OF AGREEMENT | 25 – 26 |
| 10. | PERFORMANCE SECURITY FORM | 27 – 28 |
| 11. | AFFIDAVIT | 29 |
| 12. | INTEGRITY PACT | 30 |

BIDDING DATA

| | | |
|-----------------------------|---|--|
| Procuring Agency | : | SMBB Institute of Trauma |
| Address | : | Chand Bibi Road, Karachi |
| Bid Validity | : | 90 Days, As per SPPRA Rule 2010 (amended till date) |
| Amount of Bid Security | : | 2% of Total Bid Quoted Price |
| Last date of Selling of Bid | : | As per mentioned in NIT |
| Date of Submission of Bid | : | As per mentioned in NIT |
| Place for Submission | : | As per mentioned in NIT |
| Date of Opening of Bid | : | As per mentioned in NIT |
| Place of Opening | : | As per mentioned in NIT |
| Performance Security | : | 5% of the Contract Value |
| Language of Bid | : | English |
| Currency of Bid | : | PKR |
| Bidding Procedure | : | Single Stage One Envelope Procedure 46(1) |
| Advance Payment | : | No Advance Payment will be allowed |
| Period of Completion | : | Financial Year 2020-21 |
| Liquidity Damages | : | 0.03% of the bid price per day after the period of Completion up to 10% maximum depends upon the damages done due to non-supply. |
| Inspection Authority | : | Nominated Inspection Committee |
| Place of Delivery | : | Store of SMBB Institute of Trauma |

INSTRUCTIONS TO BIDDERS

1. Shaheed Mohtarma Benazir Bhutto Institute of Trauma(SMBBIT) invites sealed bids on **Single Stage One Envelope Procedure 46(1)** as per Sindh Public Procurement Rules2010, (Amended till date) from Manufacturers / Importers / Sole Agents / Distributors for “**Procurement of General Items & Biomedical Tools**” Tender Ref.#: PROC/SMBBIT/(OTHERS)/2020-21.
2. The tender shall be submitted with all documents in sealed envelope. The envelope must contain tender inquiry Number on the top, the name of the Bidder should be affixed on the face of the envelope. Envelope should be sealed and addressed to **Procurement Department Shaheed Mohtarma Benazir Bhutto Institute of Trauma, Karachi** and inserted in Tender box by hand or mail on the scheduled date and time, else tender will not be entertained and would be returned unopened to the bidders.
3. Bidders are required to check that Tender Documents issued to them are complete in all respects as per table of content.
4. Bidders should examine carefully the table of content. In B.O.Q where written (**Same as existing or Conforming to existing at site**) bidder should visit and inspect the site at their own expense, responsibility and obtain all necessary information prior to submitting the tender. Any detail / specification missing in the document should be obtained from Planning & Procurement Department before bidding. Once the tender is submitted, it will be assumed that no further clarification was required.
5. Tender Fee in shape of pay order in favor of **Shaheed Mohtarma Benazir Bhutto Institute of Trauma (SMBBIT)** must be attached; else the offer will be rejected.
6. Bidder will attach **BID SECURITY** (as per amount mentioned under Bidding Data) in shape of pay order issued from any scheduled Bank of Pakistan in favor of **Shaheed Mohtarma Benazir Bhutto Institute of Trauma (SMBBIT)** submit with proposal.
7. The original bid shall be typed or written in indelible ink by the bidder or person duly authorized. The person or persons signing the bid shall initial all pages of the bid. The name and designation of each person signing must be mentioned below the signature.
8. The Bidder shall indicate on the appropriate Price Schedule (in PKR) the units (where applicable) and total bid price of the goods/services it proposes to supply/execute under the contract.
9. No bidder shall be allowed to alter or modify his bid after the bids have been opened. However, the Procuring Agency may seek and accept clarification to the bids that do not change substances of the bids.
10. The Procuring Agency may reject all or any bid or proposal at any time prior to the acceptance of a bid or proposal. Subject to relevant provision of SPPRA Rules, 2010 (Amended till Date). The Procuring Agency upon request communicate to bidder who submitted a bid or proposal, the grounds for its rejection of all bids or proposal, but is not required to justify those grounds.
11. The quoted rates should include all costs of whatsoever description and expenses necessary for the whole work together with all risks, taxes, liabilities and obligations, specific or implied, in the Tender Documents. Arithmetical errors, if any shall be corrected and Tender price amended accordingly.
12. No unauthorized alteration may be made in the Tender documents. If any such alteration is made, tender may be liable for rejection.

13. Clarification, revision, addition or deletion, in the tender documents may be made by the authority before the submission and opening of Tender in the form of Addendum/Corrigendum. This will be made only by formal Addendum/ Corrigendum issued by the concerned authority and will become part of the contract documents. Each Addendum shall be signed by the Vendor and returned with other Tender documents.
14. **The vendor has to quote only one rate for each work as per tender specifications.** Hand written tenders or any over writing, cutting, should be signed.
15. The entire Tender Documents, listed duly priced, signed & stamped on each page and completed must reach at designated place in due time and dates as defined in the Bidding Data of the Tender.
16. Contractors who win the tender will be required to enter into a Contract Agreement as defined in the Form of Agreement.
17. No bidder shall contact the Procuring agency on any matter relating to its bid, from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.
18. The bid security will be forfeited to the Government, if the bidder withdraws his bid after opening and before the expiry of the bid validity period or fails to sign the contract in stipulated time if the bid is accepted.
19. **Conditional tender and tender without bid security shall not be considered.**
20. Bids shall remain valid for a period of 90 days after the date of bid opening and same may be extended in terms of Rule 38 (2) (3) (4) of SPPRA Rules.
21. Bids submitted late due to any reason whatsoever, shall not be considered and returned unopened to the bidder or his authorized representative.
22. Bid / offer will be evaluated as per criteria bid's terms & conditions.
23. **The quoted rates once offered by the firms will not be changed during the contract period.**
24. The quoted rates should be in Pak. Rupees and must be valid till 30th June 2021; Orders will be placed as per requirement after receiving demand from the concern department of Shaheed Mohtarma Benazir Bhutto Institute of Trauma.
25. All Bidders should provide **Samples** free of cost of the each quoted products (If in case sample not found bid will be rejected).
26. The tendered rate should be inclusive of all applicable taxes to Federal & Provincial Govt. or local bodies and will be deducted from the bill of the contractors / suppliers.
27. **All the (applicable) Government taxes (Income Tax / Sindh Sales Tax (if applicable) / 0.35% Stamp Duty of the value of the contract amount will be affixed on the bills or on the contract agreement of the full contract value by the Contractors / Suppliers.**

28. **All documents should be submitted duly paginated / flagged and the detailed of the documents should also be mentioned in front of the Index, else Procurement Committee reserves the right to accept or reject bid.**
29. The bidders shall quote their firm and final price both in figure and in words on free delivery basis to Shaheed Mohtarma Benazir Bhutto Institute of Trauma, Karachi.
30. Distributor once nominated by the manufacturer / importer will be for the whole contract period and manufacturer / importer cannot change its distributor during the contract period in any case.
31. No manufacturer / importer shall authorize their distributor / agent / any firm or person to quote the same item, which the manufacturer is quoting itself in any tender. Failing those offers of both the manufacturer as well as other bidder shall be ignored.

TERMS & CONDITIONS OF TENDER

1. **Shaheed Mohtarma Benazir Bhutto Institute of Trauma (SMBBIT)** invites sealed bids on **Single Stage One Envelope Procedure 46(1)** as per Sindh Public Procurement Rules 2010, (Amended till date) from Manufacturers / Importers / Sole Agents / Distributors for **“Procurement of General Items & Biomedical Tools” Tender Ref. #: PROC/SMBBIT/(OTHERS)/2020-21.**
2. **PERFORMANCE SECURITY:** The successful bidders will have to deposit the requisite Performance Security Bond in the shape of a Pay Order / Demand Draft or Bank Guarantee as per amount mentioned under Bidding Data in favor of **Shaheed Mohtarma Benazir Bhutto Institute of Trauma (SMBBIT)**. The same will be released after successful completion of supply & contract period. Moreover, security deposit shall be forfeited by the Procuring Agency if contractor fails to comply with terms and condition of the contract at any stage during contract period.
3. Bid should be inclusive of all Government taxes (if applicable) and the same will be paid by the Contractor except withholding tax.
4. The firm will be responsible for supply of **“Procurement of General Items & Biomedical Tools” Tender Ref. #: PROC/SMBBIT/(OTHERS)/2020-21.** at consignee address. (**Shaheed Mohtarma Benazir Bhutto Institute of Trauma SMBBIT Karachi**). If it fails the Security Deposit will be forfeited.
5. Procurement Committee shall disqualify a contractor, whether pre-qualified or not, if it finds at any time, that the information submitted by bidder concerning his qualification and professional, technical, financial, legal, or managerial competence as contractor was false and materially inaccurate or incomplete at any stage.
6. The Procuring agency reserves the right at the time of contract award to increase / decrease & delete, the items / quantities of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.
7. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the bidder does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited.
8. 20% of the due Sindh Sales Tax (if applicable) will be deducted from the bill of the Contractors / Suppliers while remaining 80% will be deposited by the Contractors / Suppliers themselves.
9. Prices quoted shall remain valid up to **30th June 2021.**
10. No tender will be entertained without Bid Security which will be forfeited to Government Treasury, in case of non-submission of Performance security within seven (7) days of receipt of letter of Acceptance.
11. Quantities of tender items are on estimated basis and could vary according to the amount sanctioned, released and as per discretion of Procurement Committee.

12. All manufactured and other items should be used in accordance with the instructions, specifications in the Tender Document and also in accordance with generally accepted norms of good workmanship.
13. The Bidder shall sign and stamp the Integrity Pact provided at Bid in the Bidding Document for all Provincial Government procurement contracts. Failure to sign such Integrity Pact shall make the bidder non-responsive.
14. If the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in Bidding Data of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in Bidding Data. Once the maximum is reached, the Procuring agency may consider termination of the Contract.
15. Supplies are required as early as possible. The bidder may, however, give their short guaranteed delivery period by which the supply will be completed positively.
16. The Technical evaluation carried out by the Committee Shaheed Mohtarma Benazir Bhutto Institute of Trauma, Karachi will be final.
17. **PURCHASER'S RIGHT TO VARY QUANTITIES** The Shaheed Mohtarma Benazir Bhutto Institute of Trauma Authority reserves right to increase / decrease or delete the quantities., at the time of award of contract and also reserves the right to enhance the quantity of goods / services originally specified in the schedule of requirement without any change in unit price or other terms and conditions of goods at any time during defined period.
18. **PURCHASER'S RIGHT TO ACCEPT ANY BID AND REJECT ANY OR ALL BIDS:** The SMBBIT Authority reserves the right to purchase full or part of the store or ignore / scrap / cancel the tender as per relevant rules of SPPRA-2010 (Amended till date).
19. **SHELF LIFE REQUIRED:** No supply will be accepted having expiry date less than 70% of shelf life for the National manufacturer and 70% for imported items. (**wherever applicable**)
20. **REDRESSAL:** Redressal of Grievances & settlement of dispute will be as per SPPRA Rule-2010 (Amended till to date).
21. **BID EVALUATION (T.E.R):** Bid evaluation will be considered on following grounds for approval of company as mentioned in appendix # A.

I / We agree to above mentioned terms & conditions:

Name of Contractor _____ Signature _____

(CNIC NO _____ (Copy must be attached).)

Full Address _____

Rubber Stamp _____

CRITERIA FOR EVALUATION OF BID**(Bidders are required to submit following documents in mentioned sequence)**

| Technical Evaluation Criteria (Mandatory) | | | |
|--|---|------------|-----------|
| S.# | List of Documents | Yes | No |
| 1. | Compliance of Terms & Conditions, Instructions mentioned in the SBD. (Must submit the entire STANDARD BIDDING DOCUMENTS , duly signed & stamped on each page with Technical Proposal) | | |
| 2. | Relevant Experience with documentary proof (Last Three Years) Attach Supply/Purchase Order/Award of Contract | | |
| 3. | Registration with Income Tax – NTN (Attach Certificate) | | |
| 4. | Copy of Professional Tax 2020-21 (Attach Certificate) | | |
| 5. | a) General Sales Tax (Mandatory) b) Sindh Sales Tax (if applicable) / Sindh Board of Revenue (Registration is not required in procurement of Goods) | | |
| 6. | Recent Bank Certificate / Bank Statement regarding financial soundness of the firm to do business up till PKR 50 Million or more. | | |
| 7. | Submission of undertaking on legal valid and attested stamp paper that the firm is not blacklisted and litigated by any institute of Federal, Provincial Government or any Department / Agency / Organization / Autonomous body or Private Sector Organization anywhere in Pakistan. (Undertaking should be as attached sample as per Table of Content Point # 11) | | |
| 8. | Bidder already providing services at SMBBIT should obtain & attach a satisfactory performance certificate from competent authority of SMBB Institute of Trauma (for the financial year in which the bidder last provided its services). | | |
| 9. | Pay order / Bank Draft of Bid security should be attached along with bidding document. | | |

NOTE:

- The offer will not be entertained if the above mentioned documents are not found attached.**
- Items will be procured on approved quality / sample basis; hence bidders are required to submit samples when called for technical assessment. Brochures should also be attached where applicable. **If the bidder fails to provide samples of any items quoted, those items will be rejected.** (All samples should be labeled with Item Number mentioned on it).
- Bidder should take their unapproved samples within 30 days after the BER announcement; Institute will not be responsible for any claim made after 30 days.**
- The technical evaluation carried out by the Procurement Committee, SMBBIT, Karachi will be final, which will be assessed on technical aspect and clinical experience basis of the Consultant(s) in the relevant specialty.
- Authorization / Distributors Certificates from Manufacturer (Where Applicable).

SCHEDULE OF REQUIREMENT/ BILL OF QUANTITIES (BOQ) OF
SHAHEED MOHTARMA BENAZIR BHUTTO INSTITUTE OF
TRAUMA KARACHI (SMBBIT)

“PROCUREMENT OF GENERAL ITEMS & BIOMEDICAL TOOLS”
TENDER REFERENCE# PROC/SMBBIT/(OTHERS)/2020-21

A. General Items:

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|------|---------------|-------------------|------------|-------------|
| 1 | <p>Stretcher for Patient Shifting Standard Size: To meet needs of modern A&E in examination or resuscitation. Height and tilting adjustment by individual crank head side raised by ratchet system. Backrest adjustment by ratchet mechanism up to 90 degree Tilting function from foot end up to 12 Degree Mobile on 8” Dia rubber castors (Diagonal Hock able) Provided with oxygen cylinder holder IV Transfusion pole , Telescopic adjustment. Patient Safety side rail , Easily collapsible Foam mattress with Rexene cover Size 83” x 27” or better Safe working Load 230Kg (Maintenance period is for 2 Years along-with all parts & accessories).</p> | 20 | Pcs. | | | | |
| 2 | <p>Cold Chain Container For Vaccines (Medium Size)</p> | 30 | Pcs. | | | | |
| 3 | <p>X-Ray Illuminator for OT Ultra-thin X-ray Film illuminator using LED Lamps. It should be suitable for viewing 14” x 17” films. It should have LED lamps having life-span of more than 100,000 hours. It should have easy insertion & removal of the films. It should have homogeneous illumination & having luminance of more than 1200 cd/m². It should have separate On-Off function & separate rotary continuous adjustable brightness control for each panel. It should be directly connectable to power supply without any external adaptor. It should have Flicker free high frequency light for reduction of eye strain It should have external fuses for protection against power surge. Warranty: Standard Warranty (without mentioned warranty item would be rejected)</p> | 4 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|---|-----------|------|---------------|-------------------|------------|-------------|
| 4 | Floor Marking Tape (Width 6", Color Red, Roll length 100ft or more) | 120 | Pcs. | | | | |
| 5 | WD-40 450ml | 200 | Pcs. | | | | |
| 6 | Portable Fan Heater for Patients Versatile fan and heater: the heater has a fan-forced design to help disperse heat throughout your space; the fan can also be used on its own to help you stay cool during the warmer months Oscillating design: an oscillation function can be switched on to rotate the portable ceramic heater during operation, which helps to disperse heat more evenly in all directions Convenient controls: simple, easily-accessible control knobs allow you to quickly adjust(Standard Size) (Orient, WestPoint or Equivalent) Warranty: Standard Warranty (without mention warranty item would be rejected) | 5 | Pcs. | | | | |
| 7 | C.V.P Measuring Scale Manual (Standard Size) | 10 | Pcs. | | | | |
| 8 | Curtain Hook (Stainless Steel) (Best Quality Same as existing at SMBBIT) | 30,000 | Pcs. | | | | |
| 9 | Curtain Runner (Best Quality Same as existing at SMBBIT) | 30,000 | Pcs. | | | | |
| 10 | Curtain Stopper (Best Quality Same as existing at SMBBIT) | 2,000 | Pcs. | | | | |
| 11 | Facial Steamer for Patients (with minimum 1 Liter Water Capacity) Warranty: Standard Warranty (without mention warranty item would be rejected) | 10 | Pcs. | | | | |
| 12 | Battery Cell Size: AA (Energizer or Equivalent) | 5,000 | Pcs. | | | | |
| 13 | Battery Cell Size: AAA (Energizer or Equivalent) | 5,000 | Pcs. | | | | |
| 14 | Battery Cell Size: C (Energizer or Equivalent) | 5,000 | Pcs. | | | | |
| 15 | Mobile Safety Ladder Height 6ft with 2 ½ working platform. (Maintenance period is for 2 Years along-with all parts & accessories) | 1 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|------|---------------|-------------------|------------|-------------|
| 16 | Hand Trolley Covered 4 sides with expanded metal. Tabular construction, Pushing Handle Size: 30" X 60" Loading Capacity: 500kg (Maintenance period is for 2 Years along-with all parts & accessories) | 2 | Pcs. | | | | |
| 17 | Wheel Chair Specifications: <ul style="list-style-type: none"> • Dimensions: 32" x 28" x 20" • Main frame constructed from 16SWG MS round pipe • Seat and back upholstered with foam & Rexene • Arm rest of plastic • Rear wheel of 8" non-swivel type • Front wheel of 5" swivel type • Rubber bumpers on chair sides • Holder for IV pole on one side • Utility basket underneath • Tilting paddles at back, push handle • Foldable foot rest of round stainless steel pipe • Electrostatic epoxy powder coated steel finish Or Equivalent (Maintenance period is for 2 Years along-with all parts & accessories) | 15 | Pcs. | | | | |
| 18 | Cuff Pressure (ETT) | 4 | Pcs. | | | | |
| 19 | Oxygen Flow Meter & Humidifier (Wall mounted) Bed Head unit oxygen Floating ball flow meter with humidifier Oxygen point BS standard 0 to 15 L/min Flow range Sterilize able humidifier with over-pressure valve. Bubble type, with diffuser and over-pressure valve, sterilize able by autoclave at 121 °C (250 °F). Polycarbonate jar and polyamide lid. Jar capacity: 350 mL Metallic connector DISS to nipple for O2 tubing (Maintenance period is for 2 Years along-with all parts & accessories) | 50 | Pcs. | | | | |
| 20 | Restain Band (Restain Cushion Wrist Band) | 500 | Pcs. | | | | |
| 21 | Water Dispenser with hot & Cold water option (Orient or Equivalent) Warranty: Standard Warranty (without mention warranty item would be rejected) | 5 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|------|---------------|-------------------|------------|-------------|
| 22 | Electrical Extension Board Heavy Duty | 100 | Pcs. | | | | |
| 23 | Electric Kettle <ul style="list-style-type: none"> • 1.8 Liter Capacity or more • Rapid Boiling • Boil Dry Protection • Auto Turn-Off on Boiling Point • Double Layer for Heat Preservation • Body Type: Stainless Steel • Anti-Scalding • Automatic / Manual Switch-Off (or Equivalent) Complete Job : Supply, Warranty: Standard Warranty (without mention warranty item would be rejected) | 24 | Pcs. | | | | |
| 24 | Examination Pen Torch Chargeable to Check Pupil (Best Quality) | 20 | Pcs. | | | | |
| 25 | Plastic Tub for Sponging with 5 liter capacity minimum(Best Quality) | 50 | Pcs. | | | | |
| 26 | Pressure bag for IV Infusion ,500ml /1000ml (Smith Medical or Equivalent) | 50 | Pcs. | | | | |
| 27 | Disposable OETT Holder without Plastic Clip (Armstrong Medical or Equivalent) | 5,000 | Pcs. | | | | |
| 28 | Tissue Box (Rose Patel or equivalent) | 3,000 | Box | | | | |
| 29 | Tissue Roll (Rose Patel or equivalent) | 5,000 | Roll | | | | |
| 30 | Medication Plastic Tray (Re-usable) Length 12" & Width 10" | 80 | Pcs. | | | | |
| 31 | Medication Plastic Cup 30ml | 200 | Pcs. | | | | |
| 32 | Rench Pana LN Key Rench & Served (Size: 12") | 15 | Pcs. | | | | |
| 33 | Fluid Warmer Cabinet Input Voltage & Frequency: 100 - 240 VAC 50/60 Hz Humidity Range: 10 to 100% Temperature Range: Irrigation (IRR) Temperature Range : 32C to (66C or Higher) Injection (INI) Temperature Range: 32C to (40C or Higher) Capacity Range: 54 1 Lire Bottles or 72 1-Litre Bags Mobile: Rugged casters to easily transport warmed fluids throughout facility Heavy Duty: Cabinets must be years of worthy free services. Locked Handles: Keep Fluids safe and free from tampering Insulated Glass Door: The Glass windows allows staff to take an immediate inventory of the amount of warmed fluid available Warranty: Standard Warranty (without mention warranty item would be rejected) | 1 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|-------|---------------|-------------------|------------|-------------|
| 34 | Microwave Oven for heating and defrosting food Capacity 20 Liter. Warranty: Standard Warranty (without mention warranty item would be rejected) | 7 | Pcs. | | | | |
| 35 | Plastic Container Box with Top Cover for OT (5 Liter capacity, Transparent Best Quality) | 5 | Pcs. | | | | |
| 36 | Long Scissor 12" for Cutting Gauzes (Best Quality) | 10 | Pcs. | | | | |
| 37 | Water Spray Gun with bottle minimum capacity 500ml Material: Plastic | 50 | Pcs. | | | | |
| 38 | Nebulizer Connector | 1,000 | Pcs. | | | | |
| 39 | Coconut Oil | 30 | Liter | | | | |
| 40 | Tourniquet (Standard Size) | 110 | Pcs. | | | | |
| 41 | Examination Torch (Re-chargeable-Best Quality) | 50 | Pcs. | | | | |
| 42 | Aluminum Foil (Best Quality) | 5,000 | Meter | | | | |
| 43 | Aluminum Seals for IV dilution to seal infusions bottles (As per Existing) | 100,000 | Pcs. | | | | |
| 44 | Commode Chair for Ward Patient specification: <ul style="list-style-type: none"> • Constructed from steel tubular pipe • Provided with cushioned arms and backrest • Removable seat with built-in commode underneath • Easily removable plastic tub • Mobile on four heavy duty castors • Fully plastic resin coated finish Or equivalent. (Maintenance period is for 2 Years along-with all parts & accessories) | 20 | Pcs. | | | | |
| 45 | Plastic Basket for Surgical Instrument Room for OT Length=12", Width=12", Depth=4" | 100 | Pcs. | | | | |
| 46 | Standard Laryngoscope Blade (4 Size Set) As per Existing | 50 | Sets | | | | |
| 47 | Barcode Sticker 19mm x 38mm (Each roll contain minimum 500 stickers) | 500 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|---|-----------|-------|---------------|-------------------|------------|-------------|
| 48 | Barcode Sticker 45mm x 90mm (Each roll contain minimum 500 stickers) | 500 | Pcs. | | | | |
| 49 | Barcode Sticker 25mm x 50mm (Each roll contain minimum 500 stickers) | 500 | Pcs. | | | | |
| 50 | Baby weighing scale machine (Best quality) | 2 | Pcs. | | | | |
| 51 | Liquid Washing Soap for Hand wash (Best quality) | 500 | Liter | | | | |
| 52 | Laryngoscope Cell (1.5V) compatible with existing | 600 | Pcs. | | | | |
| 53 | Fiber Optic Microscope bulbs Compatible with existing 15v 150W | 50 | Pcs. | | | | |
| 54 | Fiber Optic Microscope bulbs Compatible with existing 12v 100W | 50 | Pcs. | | | | |
| 55 | Thyroid Shield Lead (Best Quality) | 20 | Pcs. | | | | |
| 56 | <p>Suction Flow Meter The standard inlet connection is compatible with the BS Gas outlet. Material specification:</p> <ul style="list-style-type: none"> • Jar -Plastic ABS • Regulator Body – Aluminum • Diaphragm – Viton Rubber <p>• The compact design incorporates a clear 63mm Ø integral vacuum gauge is built inside the regulator body.</p> <ul style="list-style-type: none"> • Analog Display: ± 5% of Full Scale deflection. • Metal back plate for strong and reliable. • Accurate suction control within ranges 0-300mmbar • Quick mode selector toggle switch for Reg./Off/Full vacuum. • The large control knob comes with three (3) easy-to-read settings making vacuum adjustments simple, even in emergency situations. • Infection control easy to clean and wipe down • Outlet connection 1/8” female NPT • Safety trap recommended for use for protecting regulators and preventing accidental overflow, these connect directly to the unit 1/8” male NPT. • Autoclaveable Suction jar – 1200ml with wall brackets and liners <p>(Maintenance period is for 2 Years along-with all parts & accessories)</p> | 25 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|---|-----------|------|---------------|-------------------|------------|-------------|
| 57 | Oxygen Cylinder Trolley for Transportation of cylinders capacity 48CFT (Maintenance period is for 2 Years along-with all parts & accessories) | 20.00 | Pcs. | | | | |
| 58 | Suction Jar 5000ml Autoclavable Suction jar 5000 ml with Lid, compatible with existing installed machine Model: Novela Make: Uzumcu (Maintenance period is for 2 Years along-with all parts & accessories) | 30 | Pcs. | | | | |
| 59 | Air Gun for CSSD Package should have: <ul style="list-style-type: none"> - 1 piece air-water gun. - 1 piece 8 nozzles. - 1 piece air-water jack for quick installment. - 1 piece air-water pipe. - 4 pieces screw. - 4 pieces plastic dowel. - 1 piece Teflon band for isolation. - 1 piece wall hook for nozzles - 2 pieces cone gaskets. Or better • Nozzles should be easily screwed and removed. • Should be able to Rinse all Instruments and articles. • Range of Eight multi nozzles which can be chosen to rinse and wash. • Should have Short time removal of nozzles which improve work efficiency. • Should have been designed especially for medical endoscopes, laboratory hospital equipment's & suction tubes. • Water pressure should be set between the values of 0, 1-0, 7 Mpa. Quality/ Standards: INC/MAGNESIUM Alloy or better ORIGIN: Europe, Turkey USA, Japan or Equivalent Warranty: Standard Warranty (without mention warranty item would be rejected) | 1 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|-------|---------------|-------------------|------------|-------------|
| 60 | Copper Brush For CSSD | 150 | Pcs. | | | | |
| 61 | Autoclavabel bag for anesthesia Machine compatible with MEDEC Hamilton Medical) with 2 liter capacity. | 20.00 | Pcs. | | | | |
| 62 | Curtains for wards & ICU's Washable with SMBB Institute of Trauma Logo (Same as existing) with all necessary accessories. | 150 | Pairs | | | | |
| 63 | Batteries for the UPS's of Operation Theaters Battery Rating: 12Volt 7Ah <ul style="list-style-type: none"> • Absorbent Glass Mat for efficient gas recombination of up to 99% and freedom from electrolyte maintenance or water adding. • Recognized component. • Can be mounted in any orientation. • Computer designed lead, calcium tin alloy grid for high power density. • Long service life, float or cyclic applications. • Maintenance-free operation. • Low self-discharge. • Case and cover available in both standard and flame retardant. Warranty Period Must be 1 year or more. | 1,500 | Pcs. | | | | |
| 64 | Wall Mounted AC (Non-Inverter) 02 ton. Copper Made Country Origin: USA, EEC, Japan Warranty: Standard Warranty (without mention warranty item would be rejected) | 10 | Pcs. | | | | |
| 65 | Benches For Patient Waiting Area Width: 16.1/2 Inches Height: 18 Inches Length: 6 Feet Material: Iron Holo Frame best quality Wooden top with four piece L*W*Gauge 6feet*4 inches*11/2 inches Same as existing at SMBB Institute of Trauma Karachi. (Maintenance period is for 2 Years along-with all parts & accessories) | 50 | Pcs. | | | | |

| S.# | Item Description | Req. Qty. | Unit | Brand & Model | Country of Origin | Unit Price | Total Price |
|-----|--|-----------|------|---------------|-------------------|------------|-------------|
| 66 | Air Curtain Size = 6'-0" CFM = 6000 to 9000 (Wall Mounted Sound Proof) Country of Origin: USA, EEC, Japan or Equivalent Warranty: Standard Warranty (without mention warranty item would be rejected) | 42 | Pcs. | | | | |
| 67 | Compressed Medical Oxygen Cylinder 240cft Brand New Empty Medical Oxygen Cylinder with Valve (POL tested & maintained with medical color coding) | 40 | Pcs. | | | | |
| 68 | Polythene Bag with airtight seal for pharmacies Size 40mm x 45mm (best quality) | 50,000 | Pcs. | | | | |
| 69 | Floor Standing Unit 8.0 Ton (Non Inverter) Copper Made Country Origin: USA, EEC, Japan Or Equivalent Warranty: Standard Warranty (without mention warranty item would be rejected) | 22 | Pcs. | | | | |
| 70 | Floor Standing AC 4.0 Ton (Non Inverter) Copper Made Country Origin: USA, EEC, Japan Or Equivalent Warranty: Standard Warranty (without mention warranty item would be rejected) | 2 | Pcs. | | | | |
| 71 | Copper Pipe 1-3/8" | 2520 | Pcs. | | | | |
| 72 | Copper Pipe 5/8" | 2520 | Pcs. | | | | |
| 73 | Elbow Copper Pipe 1-3/8" | 192 | Pcs. | | | | |
| 74 | Elbow Copper Pipe 5/8" | 192 | Pcs. | | | | |
| 75 | Socket Copper Pipe 1-3/8" | 192 | Pcs. | | | | |
| 76 | Socket Copper Pipe 5/8" | 192 | Pcs. | | | | |
| 77 | Aero Flux Pipe Insulation 1-3/8" | 2520 | Pcs. | | | | |
| 78 | Aero Flux Pipe Insulation 5/8" | 2520 | Pcs. | | | | |
| 79 | Insulation Wrapping Tape 2" | 204 | Pcs. | | | | |
| 80 | Wire 4-Core 8mm | 2820 | Pcs. | | | | |
| 81 | Circuit Breaker 60Amp | 22 | Pcs. | | | | |
| 82 | Pvc Drain Line Fitting 1" | 22 | Pcs. | | | | |
| 83 | MS Angle Frame For Outdoor | 22 | Pcs. | | | | |

B.) Biomedical Equipment:

| S.# | Item Description | | Req. Qty. | U.O.M | Brand | Country of Origin | Unit Price | Total Price |
|-----|---|---|-----------|-------|-------|-------------------|------------|-------------|
| 01 | Power Supply | | 01 | Pcs. | | | | |
| | Specification of DC Power Supply | Adjustable Dual Digital Display | | | | | | |
| | Voltage and Current | 60 Volts & 20 Amperes | | | | | | |
| | Ripple | Very Low | | | | | | |
| | Monitoring | Continuously Monitor Voltage & Current | | | | | | |
| | Input Voltage | 220V with Eu Standard | | | | | | |
| 02 | Oscilloscope: | | 01 | Pcs. | | | | |
| | Specification of Oscilloscope | | | | | | | |
| | Bandwidth & GS a/s Sample Rate | 25-100 MHz & 500M to 1GSa/s | | | | | | |
| | Automatic measurements | 32 or more automatic measurements FFT Plus | | | | | | |
| 03 | O2 Analyzer | | 01 | Pcs. | | | | |
| | Easy to Operate and Maintenance Free | | | | | | | |
| | FDA Compliant | | | | | | | |
| | 0-100% O2 Range | | | | | | | |
| 04 | Flow Sensor for flow measurement | | 01 | Pcs. | | | | |
| | Range: 0 to ± 300 STD L/min | | | | | | | |
| | Accuracy: 2% of reading | | | | | | | |
| | Calibration: Air, O2, N2 | | | | | | | |
| | Includes Standard Accessory Kit | | | | | | | |
| 05 | Electrical Safety Analyzer | | 01 | Pcs. | | | | |
| | Voltage | | | | | | | |
| | Range (mains voltage) | | | | | | | |
| | <ul style="list-style-type: none"> • 90 V ac rms to 132 V ac rms • 180 V ac rms to 264 V ac rms | | | | | | | |
| | Range (accessible voltage) | 0 V ac rms to 300 V ac rms | | | | | | |
| | Accuracy | ± (2 % of reading + 0.2 V) | | | | | | |
| | Voltage tests | Mains and point to point | | | | | | |
| | Earth resistance Modes | Two-Wire | | | | | | |
| | Test current | > 200 mA ac | | | | | | |

| | | | | | | |
|---|---|--|--|--|--|--|
| Ranges | 0 Ω to 2 Ω | | | | | |
| Accuracy | \pm (2 % of reading + 0.015 Ω) | | | | | |
| Resistance tests | Earth resistance and point to point | | | | | |
| Equipment current Mode | AC rms | | | | | |
| Range | 0 A to 20 A | | | | | |
| Accuracy | \pm (5 % of reading + (2 counts or 0.2 A, whichever is greater)) | | | | | |
| Duty cycle | 15 A to 20 A, 5 min. on/5 min. off | | | | | |
| | 10 A to 15 A, 7 min. on/3 min. off | | | | | |
| | 0 A to 10 A continuous | | | | | |
| Leakage current Modes* | AC + DC (True rms), AC only, DC only | | | | | |
| Crest factor | \leq 3 | | | | | |
| Ranges | 0 μ A to 199.9 μ A | | | | | |
| | 200 μ A to 1999 μ A | | | | | |
| | 2 mA to 10 mA | | | | | |
| Frequency response / accuracy | | | | | | |
| DC to 1 kHz | \pm (1 % of reading + (1 μ A or 1 LSB, whichever is greater)) | | | | | |
| 1 kHz to 100 kHz | \pm (2 % of reading + (1 μ A or 1 LSB, whichever is greater)) | | | | | |
| 1 kHz to 5 kHz (current > 1.6 mA) | \pm (4 % of reading + (1 μ A or 1 LSD, whichever is greater)) | | | | | |
| 100 kHz to 1 MHz | \pm (5 % of reading + (1 μ A or 1 LSB, whichever is greater)) | | | | | |
| Accuracy for Isolation, MAP, Direct AP, Alternative AP, and Alternative Equipment leakage tests all ranges are: | | | | | | |
| At 120 V ac + (2.5 μ A or 1 LSD, whichever is greater) | | | | | | |
| At 230 V ac additional \pm 3.0 % and + (2.5 μ A or 1 LSD, whichever is greater) | | | | | | |
| Leakage tests | Ground wire (earth) | | | | | |
| | Chassis (enclosure) | | | | | |
| | Lead to ground (patient) | | | | | |
| | Lead to lead (patient auxiliary) | | | | | |
| | Lead isolation (mains on applied part) | | | | | |
| | Direct equipment | | | | | |
| | Direct applied part | | | | | |
| | Alternative equipment | | | | | |
| | Alternative applied part | | | | | |
| | Point to point | | | | | |
| Differential leakage Ranges | 75 μ A to 199 μ A | | | | | |
| | 200 μA to 1999 μA | | | | | |

| | | | | | | |
|---|---|--|--|--|--|--|
| | 2 mA to 20 mA | | | | | |
| Accuracy | \pm (10 % of reading + (2 counts or 20 μ A, whichever is greater)) | | | | | |
| Insulation resistance Ranges | 0.5 M Ω to 20 M Ω 20 MΩ to 100 MΩ | | | | | |
| Accuracy | \pm (2 % of reading + 0.2 M Ω) \pm (7.5 % of reading + 0.2 M Ω) | | | | | |
| Source test voltage | 500 V dc or 250 V dc (+ 20 %, -0 %) 2.0 \pm 0.25 mA short-circuit current | | | | | |
| Insulation resistance tests | Mains-PE, AP-PE, Mains-PE, Mains-NE (non-earthed accessible conductive part) and AP-NE (non-earthed accessible conductive part) | | | | | |
| ECG performance waveforms Accuracy | \pm 2 % \pm 5 % for amplitude of 2 Hz Square wave only, fixed @ 1 mV Lead II configuration | | | | | |
| Waveforms | | | | | | |
| Rates: ECG Complex: | 30 BPM, 60 BPM, 120 BPM, 180 BPM, and 240 BPM | | | | | |
| Ventricular Fibrillation | | | | | | |
| Square wave (50 % duty cycle) | 0.125 Hz and 2 Hz | | | | | |
| Sine wave | 10 Hz, 40 Hz, 50 Hz, 60 Hz, and 100 Hz | | | | | |
| Triangle wave | 2 Hz | | | | | |
| Pulse (63 ms pulse width) | 30 BPM and 60 BPM | | | | | |
| Test Standards | | | | | | |
| Communications | | | | | | |
| USB Device Upstream Port | Mini-B connector for control by a computer | | | | | |
| USB Host Controller Port | Type A, 5 V output, 0.5 A max load. Connector for keyboard and barcode reader | | | | | |
| Modes of Operation | Manual and remote | | | | | |
| Power ratings | | | | | | |
| Mains voltage outlet | 120 V ac, 230 V ac | | | | | |
| Hz | 50Hz /60 Hz | | | | | |
| Operating temperature | 10 $^{\circ}$ C to 40 $^{\circ}$ C (50 $^{\circ}$ F to 104 $^{\circ}$ F) | | | | | |
| Storage temperature | -20 $^{\circ}$ C to 60 $^{\circ}$ C (-4 $^{\circ}$ F to 140 $^{\circ}$ F) | | | | | |
| Operating humidity | 10 % to 90 % | | | | | |

| S.# | Item Description | | Req. Qty. | U.O.M | Brand | Country of Origin | Unit Price | Total Price |
|-----|--|--------------------------------|-----------|-------|-------|-------------------|------------|-------------|
| 06 | Pressure Calibrator | | 01 | Pcs. | | | | |
| | Portable process calibrator | | | | | | | |
| | Special Features of the digital pressure measuring instrument | | | | | | | |
| | Robust and waterproof digital indicator with interchangeable pressure sensors (plug-and-play) | | | | | | | |
| | Measuring ranges from 0 ... 25 mbar to 0 ... 1,000 bar (0 ... 0.4 psi to 0 ... 14,500 psi) | | | | | | | |
| | Pressure type: positive and negative gauge pressure, absolute pressure and differential pressure | | | | | | | |
| | Accuracy: 0.2 %, optional 0.1 % (incl. calibration certificate) | | | | | | | |
| | Software and complete service cases (incl. pumps) available | | | | | | | |
| 07 | SMD Hot Air Rework Station | | 01 | Pcs. | | | | |
| | <ul style="list-style-type: none"> Suitable for soldering and disordering surface mounted with ICs, such as QFP, PLCC, SOP, BGA etc. PID controlled closed loop of sensor, rapid heating, precise and stable temperature Intelligent cooling system, deferred air delivery Low vibration, free noise, ESD protection | | | | | | | |
| 08 | Laser Temperature Meter | | 01 | Pcs. | | | | |
| | IR Temperature Range | -40 C to 800 C (-40F to 1472F) | | | | | | |
| | Battery | Rechargeable | | | | | | |
| | Operating Temperature | 0C to 50C | | | | | | |
| | Storage Temperature | -20C to 60C | | | | | | |
| 09 | Digital Multi-meter with LCR | | 01 | Pcs. | | | | |
| | Specifications | | | | | | | |
| | Inductance (H) | 0.01uH~9999H ±(0.5%+5) | | | | | | |
| | Capacitance (F) | 0.01pF~9999mF ±(0.5%+5) | | | | | | |
| | Resistance (Ω) | 0.0001Ω~99.99MΩ ±(0.3%+5) | | | | | | |
| | Test Frequency (Hz) | 100Hz/120Hz/1kHz/10kHz/100kHz | | | | | | |
| | Operational Voltage | 0.6Vrms | | | | | | |
| | Test Parameters | L/C/R/DCR/Q/D/θ/ESR | | | | | | |
| | Display Count | 20000 | | | | | | |

| | | | | | | | |
|-------------------------------------|--|--|--|--|--|--|--|
| D/Q Display Count | 2000 | | | | | | |
| Output Impedance | 120Ω | | | | | | |
| Accessories | With all standard accessories including (Battery, SMD Test Clamp, USB Interface Cable, Multi-Purpose Socket) | | | | | | |
| With Calibration Certificate | | | | | | | |

NOTE:

- 1. The offer will not be entertained if the above mentioned documents are not found attached.**
2. Items will be procured on approved quality / sample basis; hence bidders are required to submit samples when called for technical assessment. Brochures should also be attached where applicable. **If the bidder fails to provide samples of any items quoted, those items will be rejected.** (All samples should be labeled with Item Number mentioned on it).
- 3. Bidder should take their unapproved samples within 30 days after the BER announcement; Institute will not be responsible for any claim made after 30 days.**
4. The technical evaluation carried out by the Procurement Committee, SMBBIT, Karachi will be final, which will be assessed on technical aspect and clinical experience basis of the Consultant(s) in the relevant specialty.
5. Authorization / Distributors Certificates from Manufacturer (Where Applicable).

Signature of Manufacturers /Importers/Sole Agents/Contractors: - _____

Name of Firm: - _____

Full Address: - _____

Telephone No. Office: - _____ Cell No: - _____

Email Address (if any) _____

BID LETTER FORM

From:

(Registered name and address of the bidder)

To:

Chief Operating Officer,
Shaheed Mohtarma Benazir Bhutto Institute of Trauma,
Karachi – 74200

Dear Sir / Madam,

Having examined the bidding document and amendment thereon we undersigned, offer to provide services to the works including in conformity with the terms and conditions of the bidding document and amendments there on, for the following project in response to your tender call dated _____

Tender Title:

We undertake to provide services/execute the above project or it part assigned to us in conformity with the said bidding documents for an estimated sum of Rs. _____ (Rupees - _____) (total bid amount in words and figures) which may vary in accordance with the schedule of prices attached herewith and coverage options made by SMBBIT or its user organization.

If our bid is accepted, we undertake to;

- 1) Provide services/execute the work according to the time schedule specified in the bid document,
- 2) Obtain the performance guarantee of bank in accordance with bid requirements for the due performance of the contract, and
- 3) Agree to abide by the bid conditions, including pre-bid meeting minutes if any, which remain binding upon us during the entire bid validity period and bid may be accepted any time before the expiration of that period.
- 4) We understand that you are not bound to accept the lowest or any bid you may receive, nor to give any reason for the rejection of any bid and that you will not defray any expenses incurred by us in bidding.

Place:

Date:

Bidder's signature
and seal.

CONTRACT AGREEMENT

Tender Title

This Contract Agreement (hereinafter called the Agreement) made on ___ day of _____ Year.

BETWEEN

M/s.

A Contractor, having its office at **Bidder's address.** (Hereinafter mentioned as Contractor), which expression shall be deemed to mean and include its successors-in-interest and permitted assigns;

AND

SHAHEED MOHTARMA BENAZIR BHUTTO ISTITUTE OF TRAUMA A department under Government of Sindh, having its office at SMBBIT, Chand Bibi Road, Karachi Sindh, Pakistan hereinafter mentioned as "the Client", which expression shall be deemed to mean and include its successors-in-interest and permitted assigns;

WHEREAS the Contractor has agreed to render certain services i.e. "**Tender Title**" to SMBBIT Karachi and has necessary know how and staff in the respect.

AND

WHEREAS the Client is desirous of availing the services offered by the contractor for "**Tender Title**" for its premises at the cost of **Rs. _____/-** (The contract amount) as per below mentioned **BOQ.**

Brief particulars of the services which shall be supplied / provided by the Supplier are as under:

| Item. # | DESCRIPTION | Unit Quantity | Unit | Quoted Rate |
|---------|-------------|---------------|------|-------------|
| | | | | |
| | | | | |

Now this agreement witnesseth as follows:

1. In this agreement words and expression shall have the same meanings as are respectively assigned to them in the Terms & Conditions of Tender Enquiry referred to.
2. The Following documents after incorporating addenda, if any except these parts relating to Instruction to bidders, shall be deemed to form and be read and constructed as part of this Agreement, viz:
 - a. Purchase order(s)/ Letter of Acceptance where applicable.
 - b. The completed Form of Bid along with Schedules to Bid.
 - c. Condition of Contract & Contract Data
 - d. The priced Scheduled of prices
 - e. The specifications

3. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4. The Purchaser hereby covenants to pay the Supplier, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
5. The Contract Price of tender will be Rs: _____/Year;
6. That estimated cost of tender is on approximate basis and may vary in case of forced majeure or as per the demand of situation.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement in accordance with their respective hands and seals, the day, month and the year first above written.

This contract will be extendible on the same rates till the allocation of new tender.

Signature of the Supplier

Signature of the Purchaser

(Seal)

(Seal)

FORM OF PERFORMANCE SECURITY (Bank Guarantee)

Guarantee No.:

Executed on:

Expiry date: _____

[Letter by the Guarantor to the Employer]

Name of Guarantor (Bank) with complete address (Scheduled Bank in Pakistan):

Name of Principal (Contractor, Manufacturer, Supplier or any bidder) with complete address:

Penal Sum of Security (express in words and figures):

Letter of Acceptance No. _____ Dated:

KNOW ALL MEN BY THESE PRESENTS, that in pursuance of the terms of the Bidding Documents and above said Letter of Acceptance (hereinafter called the Documents) and at the are of the said Principal we, the Guarantor above named, are held and firmly bound unto the Chief Operating Officer (COO), SMBBIT, Karachi (hereinafter called the Employer) in the penal sum of the amount stated above for the payment of which sum well and truly to be made to the said Employer, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH that whereas the Principal has accepted the Employer's above said Letter of Acceptance for _____ (Name of Contract) for the _____ (Name of Project).

NOW THEREFORE, if the Principal (Contractor) shall well and truly perform and fulfill all the undertakings, covenants, terms and conditions of the said Documents during the original terms of the said Documents and any extensions thereof that may be granted by the Employer, with or without notice to the Guarantor, which notice is, hereby, waived and shall also well and truly perform and fulfill all the undertakings, covenants terms and conditions of the Contract and of any and all modifications of said Documents that may hereafter be made, notice of which modifications to the Guarantor being hereby waived, then, this obligation to be void; otherwise to remain in full force and virtue till all requirements of Condition of Contract are fulfilled.

Our total liability under this Guarantee is limited to the sum stated above and it is a condition of any liability attaching to us under this Guarantee that the claim for payment in writing shall be received by us within the validity period of this Guarantee, failing which we shall be discharged of our liability, if any, under this Guarantee.

We, _____ (the Guarantor), waiving all objections and defences under the Contract, do hereby irrevocably and independently guarantee to pay to the Employer without delay upon the Employer's first written demand without cavil or arguments and without requiring the Employer to prove or to show grounds or reasons for such demand any sum or sums up to the amount stated above, against the Employer's _____ written _____ declaration

that the Principal has refused or failed to perform the obligations under the Contract which payment will be effected by the Guarantor to Employer's designated Bank & Account Number.

PROVIDED ALSO THAT the Employer shall be the sole and final judge for deciding whether the Principal (Contractor) has duly performed his obligations under the Contractor has defaulted in fulfilling said obligations and the Guarantor shall pay without objection any sum or sums up to the amount stated above upon first written demand from the Employer forthwith and without any reference to the Principal or any other person.

IN WITNESS WHEREOF, the above-bounden Guarantor has executed this Instrument under its seal on the date indicated above, the name and corporate seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

Witness:

- 1. _____
Guarantor (Bank)

(Name, Title, Signature & Seal)

- 2. _____

(Name, Title, Signature & Seal)

Signature:

Name: _____
Title: _____

AFFIDAVIT (on Judicial Stamp Paper)

I/We, the undersigned [Name of the Supplier] hereby solemnly declare and undertake that:

1. I/We have read the contents of the Bidding Document and have fully understood it.
2. The Bid being submitted by the undersigned complies with the requirements enunciated in the bidding documents.
3. The Goods that we propose to supply under this contract are eligible goods within the meaning of this SBD.
4. The undersigned are also eligible Bidders within the meaning of the Standard Bidding Documents.
5. The undersigned are solvent and competent to undertake the subject contract under the Laws of Pakistan.
6. I/We have not paid nor have agreed to pay, any Commissions or Gratuities to any official or agent for SMBB Institute of Trauma related to this Bid or Award or Contract.
7. I/We are not blacklisted or facing debarment from any institute of Federal, Provincial Government or any Department /Agency/Organization/Autonomous body or Private Sector organization anywhere in Pakistan.
8. That undersigned has not employed any child labor in the organization/unit.
9. I/We understand that the Selection and Rate Contracting Committee of the Procuring Agency is not bound to accept the lowest or any other bid they may receive.

I/We affirm that the contents of this affidavit are correct to the best of our knowledge and belief.

Signatures with stamp

Name: _____

Designation: _____

CNIC No. _____ **(Copy must be attached)**

For Messrs. [Name of Supplier]

INTEGRITY PACT

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY THE SUPPLIERS/CONTRACTORS/CONSULTANTS

Contract Number: **NO.**
Contract Value: **Rs.**
Contract Title:

Dated:

M/s. _____ hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (GoS) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoS) through any corrupt business practice.

Without limiting the generality of the foregoing, **M/s.** _____ represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit, in whatsoever form, SMBBIT Karachi (PA), except that which has been expressly declared pursuant hereto.

M/s. _____ certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

M/s. _____ accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, **M/s.** _____ agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by **M/s.** _____ as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit, in whatsoever form, from PA.

M/s. _____

Chief Operating Officer (COO)